

Industrial Cupboards



Marketing Product Development

VINCO

Industrial Cupboards



Contents

Swing Door	Page 3
Tambour Door	Page 5
Swing Door c/w Feet & Compartments	Page 7
Swing Door, Space Saving Depth	Page 8
Swing Door, Extra Deep with Tilted Shelves	Page 9

Contents of Cupboards are not included, unless stated

Industrial Cupboards - Swing Door



Technical characteristics

Self-contained cupboard in 1mm welded steel plating
Central door brace for better cupboard rigidity and security
2 point locking system with door lock bars & ergonomic lock
Aluzinc shelves are removable & adjustable using the notches spaced 50mm apart
Load capacity per shelf : 100kg of evenly distributed weight



Industrial Cupboards - Swing Door

A full range

H: 100cm / 198cm

W: 54.6cm / 100cm / 120cm

D: 43cm / 53cm (usable depths: 37.5cm / 47.5cm)

1 Shell Colour: Light Grey RAL 7035

2 Colour Choices for Swing Doors: Light Grey RAL 7035 & Blue RAL 5014



Marketing Product Development

VINCO

Industrial Cupboards - Tambour Door



Technical characteristics:

Self-contained cupboard in 1mm welded steel plating (rear in 0,7mm)

Central base brace and 2 side braces, to bear heavy weights

PVC tambour door, M1 fireproof

Extra Deep Cupboard, 53cm

Shelves painted the same colour as the cupboard - Light Grey

Load Capacity per shelf: 100kg of evenly distributed weight

Body & Tambour Door: Light Grey RAL 7035

End Slats: Light Grey RAL 7035 or Blue RAL 5014

External H x W x D: 198 x 120 x 53cm

Internal H x W x D: 185 x 103.9 x 47.5cm

Industrial Cupboards - Tambour Door

**A full range suitable for various requirements
5 models:**

1. Cupboard equipped with 4 strong shelves
2. Cupboard fitted with 2 back panels for trays, 4 perforated side panels, 2 strong shelves, 2 perforated shelves, a multifold worktop, three 17-cm high partitions, four 7 x 22.6 x 50 cm drawers and four 17 x 22.6 x 50 cm drawers
3. Cupboard fitted with 2 perforated back panels, 2 strong shelves, 2 perforated shelves, a multifold worktop, three 22-cm high partitions, two 7 x 45.8 x 50 cm drawers and 4 12 x 22.6 x 50 cm drawers
4. Cupboard fitted with 4 back panels for trays and 8 perforated side panels
5. Cupboard fitted with 4 perforated back panels and 8 perforated side panels

Model 2



Model 3



Model 5



Industrial Cupboards - Swing Door c/w Feet & Compartments



Technical characteristics

Self-contained cupboard in 0,8mm welded steel plating, with swing doors

Lock mechanism can be padlocked

Extra Deep Cupboard 53cm

Shelves painted in the same colour as the cupboard - Light Grey

Load Capacity per shelf: 40kg of evenly distributed weight

Body & Shelves Door: Light Grey RAL 7035

Swing Door: Blue RAL 5014

External H x W x D: 195 x 80 x 53cm (including 10 feet)

Internal H x W x D: 169 x 79.5 x 47.5cm

2 Models

Cupboard fitted with one full width shelf, a central partition below and 6 removable half-shelves

Cupboard fitted with 4 removable full width shelves

Industrial Cupboards - Swing Door, Space Saving Depth

Technical characteristics



Self-contained cupboard in 0,8mm welded steel plating, with swing doors

2 point locking system, with flush to frame handles & ergonomic lock combining plastic & steel

4 shelves painted in Light Grey with adjustable height using the 50mm notches

Body: Light Grey RAL 7035

Doors: Blue RAL 5014

External H x W x D: 160.8 x 70 x 28cm

Internal H x W x D: 144.8 x 69.5 x 22.5cm

Industrial Cupboards - Swing Door, Extra Deep with Tilted Shelves

Technical characteristics

Self-contained cupboard in 1mm welded steel plating, with swing doors

2 point locking system, with flush to frame handles & ergonomic lock combining plastic & steel

Central door brace for increased cupboard rigidity & security

5 shelves painted in Light Grey. 3 tilted lower shelves with non-slip rubber coating & 2 upper horizontal shelves

Body: Light Grey RAL 7035

Doors: Blue RAL 5014

External H x W x D: 198 x 100 x 53cm

Internal H x W x D: 182 x 99.5 x 47.5cm

